



our future through science

List of wood samples available

| Botanical Name | English Name | Afrikaans Name | Ind / ex |
|--|---------------------|----------------------|----------|
| <i>Acacia sieberiana</i> v. <i>woodii</i> | Paperbark Thorn | Papierbasdoring | I |
| <i>Acacia xanthophloea</i> | Fever Tree | Koorsboom | I |
| <i>Albizia adianthifolia</i> | Flat Crown | Platkroon | I |
| <i>Anthocleista grandiflora</i> | Forest Fever Tree | Boskoorsboom | I |
| <i>Baikaea minor</i> | Nkoma | | I |
| <i>Berchemia discolor</i> | Brown Ivory | Bruin Ivoor | I |
| <i>Brachylaena discolor</i> subsp. <i>Transvaalensis</i> | Forest Silver Oak | Bosvaalbos | I |
| <i>Breonadia salicina/microcephala</i> | Matumi | Mingerhout | I |
| <i>Bridelia micrantha</i> | Mitzeeri | Mitserie | I |
| <i>Burkea Africana</i> | Wild Syringa | Wildesering | I |
| <i>Calodendrum capense</i> | Cape Chestnut | Wildekastaing | I |
| <i>Canthium inerme</i> | Common Turkey-berry | Gewone Bokdrol | I |
| <i>Cassine peragua</i> | Cape Saffron | Bastersaffraan | I |
| <i>Combretum erythrophyllum</i> | River Bushwillow | Riviervaderlandswilg | I |
| <i>Combretum krausii</i> | Forest Bushwillow | Bosvaderlandswilg | I |
| <i>Cryptocarya liebertiana</i> | Common Wild Quince | Gewone Wildekweper | I |
| <i>Curtisia dentate</i> | Assegai | Assegai | I |
| <i>Cussonia spicata</i> v. <i>spicata</i> | Common Cabbage Tree | Gewone Kiepersol | I |
| <i>Diospyros whyteana</i> | Bladder-nut | Swartbas | I |
| <i>Erythrina caffra</i> | Coast Coral Tree | Kuskoraalboom | I |
| <i>Faurea saligna</i> | Red Beech | Rooiboekenhout | I |
| <i>Ficus capensis</i> | Cape wild fig | Kaapse wildevy | I |
| <i>Gonioma kamassi</i> | Kamassi | Kamassie | I |
| <i>Ilex mitis</i> | Cape Holly | Without | I |
| <i>Kigelia Africana</i> | Sausage Tree | Worsboom | I |
| <i>Kiggelaria Africana</i> | Wild Peach | Wildeperske | I |
| <i>Kirkia wilmsii</i> | Mountain Syringa | Bergsering | I |
| <i>Maytenus acuminata</i> | Silky Bark | Sybas | I |
| <i>Maytenus peduncularis</i> | Cape Blackwood | Kaapse Swarthout | I |
| <i>Ocotea bullata</i> | Stinkwood | Stinkhout | I |
| <i>Ocotea kenyensis</i> | Transvaal Stinkwood | Transvaalstinkhout | |
| <i>Olea capensis</i> ssp. <i>capensis</i> | False Ironwood | Basterysterhout | I |

List of wood samples available

| Botanical Name | English Name | Afrikaans Name | Ind / ex |
|---|---------------------------------------|---------------------------------------|----------|
| <i>Olea capensis</i> ssp. <i>macrocarpa</i> | Ironwood | Ysterhout | I |
| <i>Olinia cymosa</i> | Hard Pear | Hardepeer | I |
| <i>Parinari curatelifolia</i> subsp. <i>mobola</i> | Mobola Plum | Grysappel | I |
| <i>Platylophus trifolius</i> | White Alder | Witels | I |
| <i>Podocarpus falcatus</i> | Outeniqua Yellowwood | Kalander | I |
| <i>Podocarpus latifolius</i> | Real Yellowwood | Opregte Geelhout | I |
| <i>Ptaroxylon obliquum</i> | Sneezewood | Nieshout | I |
| <i>Pterocarpus angolensis</i> | Kiaat | Kiaat | I |
| <i>Pterocarpus rotundifolius</i> | Round-leaved Kiaat | Dopperkiaat | I |
| <i>Pterocarpus tricuspidatus</i> | Candlewood, Cherrywood | Kerswood | I |
| <i>Rauvolfia caffra</i> | Quinine Tree | Kinaboom, Waterboekenhout | I |
| <i>Schotia brachypetala</i> | Weeping Boer-bean | Huilboerboon | I |
| <i>Sclerocarya birrea</i> subsp. <i>caffra</i> / <i>Sclerocarya caffra</i> | Marula | Maroela | I |
| <i>Strychnos decussate</i> | Cape Teak | Kaapse Kiaat | I |
| <i>Syzygium cordatum</i> | Water Berry | Waterbessie | I |
| <i>Terminalia sericea</i> | Silver Cluster-leaf | Vaalboom | I |
| <i>Trema orientalis</i> | Pigeon Wood | Hophout | I |
| <i>Trichilia emetica</i> | Natal Mahogany | Rooiessenhout | I |
| <i>Xanthocercis zambesiaca</i> | Nyala Tree | Njala Boom | I |
| <i>Abies grandis</i> | Grand fir | | E |
| <i>Acacia melanoxylon</i> | Australian Blackwood | Australiese Swarthout | E |
| <i>Acrocarpus fraxinifolius</i> | Shingle Tree | Dakspaanboom | E |
| <i>Agathis microstachya</i> | North Queensland Kauri | Noord-Queenslandse Kauri | E |
| <i>Agathis robusta</i> | South Queensland Kauri | Suid-Queenslandse Kauri | E |
| <i>Araucaria angustifolia</i> | Parana softwood | Parana-Naaldhout | E |
| <i>Araucaria columnaris</i> | Cook's Softwood (New Caledonian Pine) | Cook-Naaldhout (Nieu-Caledoniese Den) | E |
| <i>Araucaria cunninghamii</i> | Hoop Softwood | Hoop-Naaldhout | E |
| <i>Araucaria heterophylla</i> | Norfolk Island Pine | Norfolkeilandden | E |
| <i>Callistris calcarata</i> | Black Cypress Pine | Swartsipresden | E |
| <i>Casuarina cunninghamiana</i> | Beefwood | Kasuarisboom | E |
| <i>Casuarina equisetifolia</i> | Horsetail Tree | Perdestertboom | E |
| <i>Cedrela serrata</i> | Spanish Cedar | | E |
| <i>Cedrela toona</i> | Toon Tree | Toonboom | E |
| <i>Cedrus deodara</i> | Deodar cedar | Deodara Seder | E |
| <i>Chamaecyparis lawsoniana</i> | Lawson's cypress | Lawson-sipres | E |
| <i>Cinnamomum camphora</i> | Camphor Tree | Kanferboom | E |
| <i>Cryptomeria japonica</i> | Japanese Cedar | Japanese Seder | E |
| <i>Cunninghamia lanceolata</i> | China Fir | Chinese Spar | E |
| <i>Cupressus arizonica</i> | Arizona Cypress | Arizona-sipres | E |
| <i>Cupressus glabra</i> | Smooth Arizona Cypress | Gladde Arizona-sipres | E |
| <i>Cupressus lusitanica</i> | Mexican Cypress | Meksikaanse Sipres | E |
| <i>Cupressus macrocarpa</i> | Monterey Cypress | Monterey-sipres | E |
| <i>Cupressus sempervirens</i> var. <i>horizontalis</i> | Mediterranean Cypress | Gewone Sipres | E |

List of wood samples available

| Botanical Name | English Name | Afrikaans Name | Ind / ex |
|---------------------------------|---------------------------|-----------------------------|----------|
| <i>Cupressus torulosa</i> | Himalayan Cypress | Himalaja-Sipres | E |
| <i>Eucalyptus agglomerata</i> | Blue-leaved Stringybark | Bloublaarveselbasbloekom | E |
| <i>Eucalyptus albens</i> | White Box | Witbuksbloekom | E |
| <i>Eucalyptus andreana</i> | River Peppermint | | E |
| <i>Eucalyptus bauerana</i> | Blue Box | Bloubuksbloekom | E |
| <i>Eucalyptus blakelyi</i> | Blakely's Red Gum | Blakely Bloekom | E |
| <i>Eucalyptus bosistoana</i> | Box Gum | Buksbloekom | E |
| <i>Eucalyptus camaldulensis</i> | Red Gum | Rooibloekom | E |
| <i>Eucalyptus capitellata</i> | Brown Stringybark | Bruinveselbasbloekom | E |
| <i>Eucalyptus citriodora</i> | Lemon-scented Gum | Lemoenbloekom | E |
| <i>Eucalyptus cladocalyx</i> | Sugar Gum | Suikerbloekom | E |
| <i>Eucalyptus cornuta</i> | Yate | Jet | E |
| <i>Eucalyptus deglupta</i> | Kamarere | Mindanaobloekom | E |
| <i>Eucalyptus delegatensis</i> | Alpine Ash | Bergessebloekom | E |
| <i>Eucalyptus diversicolor</i> | Karri | Karrie | E |
| <i>Eucalyptus eugenioides</i> | Small-leaved Stringybark | Kleinblaarveselbasbloekom | E |
| <i>Eucalyptus fibrosa</i> | Broad-leaved Red Ironbark | Breeblaarrooysterbasbloekom | E |
| <i>Eucalyptus fraxinoides</i> | White Ash | Witveselbloekom | E |
| <i>Eucalyptus globoidea</i> | White Stringybark | Witveselbasbloekom | E |
| <i>Eucalyptus globulus</i> | Blue Gum | Bloekom | E |
| <i>Eucalyptus grandis</i> | Grandis Gum | Grandisbloekom | E |
| <i>Eucalyptus laevopinea</i> | Silvertop Stringybark | Silwertopveselbasbloekom | E |
| <i>Eucalyptus macrorhyncha</i> | Red Stringybark | Rooiveselbasbloekom | E |
| <i>Eucalyptus maidenii</i> | Maiden's Gum | Maiden Bloekom | E |
| <i>Eucalyptus melliodora</i> | Yellow Box | Geelbuksbloekom | E |
| <i>Eucalyptus microcorys</i> | Tallow Gum | Kersvetbloekom | E |
| <i>Eucalyptus muelleriana</i> | Yellow Stringybark | Geelveselbasbloekom | E |
| <i>Eucalyptus obliqua</i> | Messmate | Tafelmaatbloekom | E |
| <i>Eucalyptus oreades</i> | Blue Ash | Blouessebloekom | E |
| <i>Eucalyptus paniculata</i> | Gray Ironbark | Gryssystembasbloekom | E |
| <i>Eucalyptus pauciflora</i> | Snow Gum | Sneebloekom | E |
| <i>Eucalyptus pilularis</i> | Blackbutt | Swartstambloekom | E |
| <i>Eucalyptus propinqua</i> | Grey Gum | Noordelike Grysbloekom | E |
| <i>Eucalyptus punctata</i> | Grey Gum | Grysbloekom | E |
| <i>Eucalyptus quadrangulata</i> | Soft White Box | Sagte Witbuksbloekom | E |
| <i>Eucalyptus radiata</i> | Narrow-leaved Peppermint | Smalblaarpeperment | E |
| <i>Eucalyptus rummeryi</i> | Rummery's Box | Rummery-buksbloekom | E |
| <i>Eucalyptus saligna</i> | Saligna Gum | Salignabloekom | E |
| <i>Eucalyptus sideroxylon</i> | Black Ironbark | Swartysterbasbloekom | E |
| <i>Eucalyptus sieberii</i> | Silvertop Ash | Silweressebloekom | E |
| <i>Eucalyptus smithii</i> | Blackbutt Peppermint | Swartstampeperment | E |
| <i>Eucalyptus tereticornis</i> | Forest Red Gum | Bosrooibloekom | E |
| <i>Eucalyptus umbra</i> | Bastard Mahogany | Umbra Bloekom | E |
| <i>Flindersia oxleyana</i> | Yellowwood Ash | Geelessenhout | E |

List of wood samples available

| Botanical Name | English Name | Afrikaans Name | Ind / ex |
|------------------------------|-----------------------|------------------------|----------|
| <i>Fraxinus excelsior</i> | European Ash | Europese Esseboom | E |
| <i>Fraxinus velutina</i> | Velvet Ash | Fluweelesseboom | E |
| <i>Gmelina arborea</i> | White Teak | Witkiaat | E |
| <i>Gmelina leichardtii</i> | Binburra | | E |
| <i>Grevillea robusta</i> | Silky Oak | Australiese Silwereik | E |
| <i>Jacaranda mimosifolia</i> | Jacaranda | Jakaranda | E |
| <i>Juglans nigra</i> | Black Walnut | Swart Okkerneut | E |
| <i>Khaya nyasica</i> | East African Mahogany | Oos-afrikaanse Mahonie | E |
| <i>Manilkara cuneifolia</i> | Nkunya | | E |
| <i>Melia azedarach</i> | Syringa | Maksering | E |
| <i>Musanga smithii</i> | Aga Umbrella Tree | | E |
| <i>Pinus apacheca</i> | Apache Pine | Apache-den | E |
| <i>Pinus ayacahuite</i> | Mexican white pine | Meksikaanse Wit-den | E |
| <i>Pinus caribaea</i> | Caribbean Pine | Karibiese den | E |
| <i>Pinus echinata</i> | Short-leaf Pine | Echinata-den | E |
| <i>Pinus elliottii</i> | Slash Pine | Elliottii-den | E |
| <i>Pinus greggii</i> | Gregg's Pine | Gregg-den | E |
| <i>Pinus halepensis</i> | Aleppo Pine | Aleppo-den | E |
| <i>Pinus kesiya</i> | Khasia Pine | Khasia-den | E |
| <i>Pinus leiophylla</i> | Leiophylla Pine | Leiophylla-den | E |
| <i>Pinus luchuensis</i> | Luchu Pine | Luchu-den | E |
| <i>Pinus massoniana</i> | Masson's Pine | Masson se Den | E |
| <i>Pinus michoacana</i> | Michoacan Pine | Michoacadan | E |
| <i>Pinus montezumae</i> | Montezuma Pine | Montezuma-den | E |
| <i>Pinus oocarpa</i> | Oocarpa Pine | Oocarpa-den | E |
| <i>Pinus pinaster</i> | Cluster Pine | Trosden | E |
| <i>Pinus ponderosa</i> | Western Yellow Pine | Ponderosa-den | E |
| <i>Pinus pringlei</i> | Pringlei Pine | Pringlei-den | E |
| <i>Pinus psuedostrobus</i> | False Weymouth Pine | Basterweymouthden | E |
| <i>Pinus radiata</i> | Radiata Pine | Radiataden | E |
| <i>Pinus roxburghii</i> | Chir Pine | Tjirden | E |
| <i>Pinus taeda</i> | Loblolly Pine | Loblollyden | E |
| <i>Pinus taiwanensis</i> | Taiwan Pine | Taiwanden | E |
| <i>Pinus wallichiana</i> | Bhutan Pine | Himilaja-Blouden | E |
| <i>Populus alba</i> | White Poplar | Witpopulier | E |
| <i>Populus deltoides</i> | Match Poplar | Vuurhoutjiepopulier | E |
| <i>Populus serotina</i> | Hybrid Black Poplar | Baster Swartpopulier | E |
| <i>Quercus acutissima</i> | Bristle Oak | Stekeleik | E |
| <i>Quercus palustris</i> | Pin Oak | Moeraseik | |
| <i>Quercus robur</i> | English Oak | Steeleik | E |
| <i>Sequoia sempervirens</i> | Californian Redwood | Kaliforniese Rooihout | E |
| <i>Sophora japonica</i> | Japanese Pagoda Tree | Japanese Pagodaboom | E |
| <i>Tipuana tipu</i> | Tipu | Tipoeboom | E |
| <i>Toona ciliata</i> | Toon tree | Toonboom | E |

List of wood samples available

| Botanical Name | English Name | Afrikaans Name | Ind / ex |
|---------------------------|----------------|----------------------|----------|
| <i>Tristania conferta</i> | Australian Box | Australiese Buksboom | E |
| <i>Ulmus parvifolia</i> | Chinese Elm | Sjinese Olm | E |
| <i>Ulmus pumila</i> | Siberian Elm | Siberiese Olm | E |